

SEC. 42A-12.1. PORTABLE RESTROOM REQUIREMENTS.

(a) An applicant for a special event permit shall provide portable restrooms at the special event in accordance with Subsection (b) and the following table:

MINIMUM NUMBER OF RESTROOM UNITS REQUIRED

Estimated Daily Number of Persons Attending Event Length of Event (in hours) Per Day

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| 1-50 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| 51-100 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 101-250 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 6 | 6 | 6 |
| 251-500 | 4 | 4 | 4 | 4 | 6 | 6 | 8 | 8 | 8 | 8 |
| 501-1,000 | 4 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 |
| 1,001-2,000 | 6 | 10 | 12 | 13 | 14 | 14 | 14 | 15 | 15 | 15 |
| 2,001-3,000 | 9 | 14 | 17 | 19 | 20 | 21 | 21 | 21 | 21 | 21 |
| 3,001-4,000 | 12 | 19 | 23 | 25 | 28 | 28 | 28 | 30 | 30 | 30 |
| 4,001-5,000 | 15 | 23 | 32 | 32 | 34 | 36 | 36 | 36 | 36 | 36 |
| 5,001-6,000 | 17 | 28 | 34 | 38 | 40 | 42 | 42 | 42 | 42 | 42 |
| 6,001-7,000 | 20 | 32 | 40 | 44 | 46 | 48 | 50 | 50 | 50 | 50 |
| 7,001-8,000 | 23 | 38 | 46 | 50 | 54 | 57 | 57 | 57 | 57 | 57 |
| 8,001-10,000 | 30 | 46 | 57 | 63 | 66 | 69 | 69 | 72 | 72 | 72 |

(b) The special event manager may require additional restroom units if:

(1) the estimated number of participants and spectators exceeds 10,000 during any day of the special event;

(2) the estimated duration of the special event exceeds 10 hours on any day of the event;

(3) any alcoholic beverage is sold, served, or otherwise made available at the special event; or

(4) the history of the particular special event indicates that a greater number of portable restroom units are required for the public health, safety, and welfare. (Ord. 26136)